

United States District Court
Northern District of California

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

UNITED STATES DISTRICT COURT
NORTHERN DISTRICT OF CALIFORNIA
SAN JOSE DIVISION

UNITED STATES OF AMERICA,
Plaintiff,
v.
DANIEL CHAVEZ, et al.,
Defendants.

Case No. 15-CR-00285-LHK-1

**ORDER DENYING CHAVEZ’S AND
SKATES’ MOTION TO LIMIT
PRESENTATION OF BALLISTICS
EVIDENCE BY THE UNITED STATES**

Re: Dkt. No. 941

On September 10, 2021, Defendants Daniel Chavez and Victor Skates (collectively, “Defendants”) moved to limit the presentation of ballistics comparison evidence by the United States (“the government”). ECF No. 941. (“Mot.”).¹ The government filed an opposition on October 1, 2021. ECF No. 951 (“Opp’n”). Defendants filed a reply on October 15, 2021. ECF No. 961 (“Reply”). Having considered the filings of the parties, the relevant law, and the record in

¹ Defendants also filed a single motion seeking leave to file overlength briefing in two separate *Daubert* motions. See ECF No. 940 (seeking leave to file overlength briefs with respect to ECF No. 941 and 942). The Court grants Defendants’ request to file an overlength brief in the instant motion, ECF No. 941. The Court will rule on Defendants’ request to file an overlength brief in Defendants’ Motion to Limit Gang Expert Testimony when the Court rules on Defendants’ Motion to Limit Gang Expert Testimony, ECF No. 942.

1 this case, the Court DENIES Defendants' *Daubert* motion to limit the presentation of ballistics
2 comparison evidence by the government.

3 Defendants move to limit the government's ballistic expert testimony under Federal Rule
4 702 and *Daubert v. Merrell Dow Pharms., Inc.*, 509 U.S. 579 (1993). Mot at 1. Specifically,
5 Defendants seek to effectively limit any ballistic expert testimony to opinions that "a particular
6 bullet or casing cannot be excluded from having been fired by a particular firearm." *Id.* The
7 government contends that ballistic expert testimony easily meet the *Daubert* standard for
8 admissibility and Defendants rely on outlier rulings. Opp'n at 1-2. The Court agrees with the
9 government.

10 Federal Rule of Evidence 702 governs the admission of expert testimony and imposes a
11 "gatekeeping obligation" on the district court. *See Kumho Tire Co., Ltd. v. Carmichael*, 526 U.S.
12 137, 147 (1999). To be admitted, expert testimony must be "both relevant and reliable." *United*
13 *States v. Vallejo*, 237 F.3d 1008, 1019 (9th Cir. 2001). Although Defendants do not challenge the
14 relevance of the government's ballistic expert testimony, the Court explicitly finds the
15 government's proposed expert testimony that "a particular bullet or cartridge was fired from a
16 particular gun," Opp'n at 1, is relevant to the instant case, which involves "dozens of shootings
17 allegedly committed by alleged Norteño gang members in Salinas, California," Mot. at 2.
18 Defendants' own expert agrees. *See* Mot. at 16 (acknowledging that "the comparison of toolmarks
19 to a particular tool such as a gun are certainly relevant").

20 To be reliable, the testimony must have "a reliable basis in the knowledge and experience
21 of the relevant discipline." *Kumho Tire*, 526 U.S. at 149 (1999) (citation and alterations omitted).
22 In *Daubert*, the Supreme Court outlined five factors for the courts to consider when determining
23 whether testimony is reliable: "(1) whether the method has been tested; (2) whether the method
24 'has been subjected to peer review and publication;' (3) 'the known or potential rate of error;' (4)
25 whether there are 'standards controlling the technique's operation;' and (5) the general acceptance
26 of the method within the relevant community." *United States v. Johnson*, 875 F.3d 1265, 1280

1 (9th Cir. 2017) (quoting *Daubert*, 509 U.S. at 592-95). However, “the reliability inquiry is a
 2 flexible one and the district court has broad latitude to determine what factors in *Daubert*, if any,
 3 are relevant to the reliability determination.” *United States v. Valencia-Lopez*, 971 F.3d 891, 898
 4 (9th Cir. 2020) (cleaned up).

5 Here, relying primarily on out-of-circuit authority, Defendants challenge the reliability of
 6 the Association of Firearm and Toolmark Examiners (“AFTE”) methodology used by firearms
 7 identification experts. *See, e.g.*, Mot. at 4-6. The Ninth Circuit has previously rejected similar
 8 reliability challenges to AFTE methodology under *Daubert*. *See Johnson*, 875 F.3d at 1280-81
 9 (rejecting the argument that “the AFTE is inherently unreliable and fails to satisfy the *Daubert*
 10 factors.”). Moreover, the Ninth Circuit in *Johnson* found that qualifying the expert’s conclusion to
 11 a “reasonable degree of ballistics certainty” coupled with allowing the defendant to cross-examine
 12 the expert and present a defense ballistics expert witness “provided adequate safeguards to allow
 13 the jury to properly evaluate the probative value” of the expert opinion and written report. *Id.*

14 The government represents that the government experts will not express identification
 15 conclusions with absolute certainty, or even that these conclusions are “held to a reasonable
 16 degree of scientific certainty,” and will not testify that the “identification is being made to the
 17 exclusion of all other firearms in the world.” Opp’n at 24. These representations fall comfortably
 18 within the safeguards the Ninth Circuit found adequate in *Johnson*. Defendants however seek to
 19 impose two limiting jury instructions that reject the Ninth Circuit’s general approval of AFTE
 20 methodology in *Johnson*.

21 Below, the Court analyzes in turn whether each *Daubert* factor weighs in favor of
 22 reliability. The Court ultimately concludes that even in light of a minority of cases, decided after
 23 the Ninth Circuit *Johnson* decision, AFTE methodology is relevant and reliable and that no
 24 limiting instruction is necessary.

25 **1. The AFTE Methodology Can and Has Been Tested**

26 The first *Daubert* factor, whether the relevant technique or method can and has been tested,
 27

1 is a “key question” when deciding whether expert testimony should be admitted. *See United*
 2 *States v. Romero-Lobato*, 379 F. Supp. 3d 1111, 1119 (D. Nev. 2019) (citing *Daubert*, 509 U.S.
 3 579 at 593). Courts across this country nearly uniformly conclude that AFTE methodology can,
 4 and has, been tested. *See, e.g., United States v. Johnson*, No. (S5) 16 Cr. 281 (PGG), 2019 WL
 5 1130258, at *15 (S.D.N.Y. March 11, 2019) (collecting cases and concluding that “[t]here appears
 6 to be little dispute that toolmark identification is testable as a general matter”); *United States v.*
 7 *Harris*, 502 F. Supp. 3d 28, 37 (D.D.C. 2020) (collecting cases concluding that “firearm toolmark
 8 identification can be tested and reproduced”); *United States v. Diaz*, 2007 WL 485967 at *5 (N.D.
 9 Cal. 2007) (holding that the theory of firearms identification, though based on examiners’
 10 subjective assessment of individual characteristics, “has been and continues to be tested”). Even
 11 in *United States v. Tibbs*, the primary case on which defendant relies, the court concluded that
 12 “virtually every court that has evaluated the admissibility of firearms and toolmark identification
 13 has found the AFTE method to be testable and that the method has been repeatedly tested.” No.
 14 2016-CF1-19431, 2019 WL 4359486 at *7 (D.C. Super. Ct. Sept. 5, 2019) (collecting cases). The
 15 Court agrees with these cases and finds this factor weighs in favor of admissibility.

16 Defendant’s reliance on *United States v. Adams*, 444 F. Supp. 3d 1248, 1259-60 (D. Or.
 17 2020), is unpersuasive. Although in *Adams* the court found the AFTE method was not testable,
 18 the *Adams* court failed to engage with, much less, distinguish the reasoning in *any* of the previous
 19 cases that found the AFTE methodology has and can be tested. As other courts have noted, “[t]he
 20 fact that numerous studies have been conducted testing the validity and accuracy of the AFTE
 21 method” strongly suggests the method has and can be tested. *See Romero-Lobado*, 379 F. Supp.
 22 3d at 1119; *see also Harris*, 502 F. Supp. 3d at 37 (“The fact that there are subjective elements to
 23 the firearm and toolmark identification methodology is not enough to show that the theory is not
 24 ‘testable.’”)

25 **2. The AFTE Methodology Has Been Subject to Peer Review and Publication**

26 Under the second *Daubert* factor, the Court considers whether the AFTE method has been
 27

1 subject to “peer review and publication.” *Daubert*, 509 U.S. at 594. Similar to the first factor,
2 courts considering challenges to the AFTE methodology have nearly uniformly concluded that this
3 factor has been satisfied. *See Tibbs*, 2019 WL 4359486, at *9 (collecting cases and noting that
4 other courts have found that “publication in the *AFTE Journal* satisfies this prong of the
5 admissibility analysis). The court again agrees with the weight of authority and finds this factor
6 weighs in favor of admissibility.

7 Defendants rely on two unpersuasive cases, *Tibbs* and *Adams*, to suggest that existing
8 literature on the AFTE method is insufficient to meet this *Daubert* factor. Mot. at 36-42.
9 However, both the *Tibbs* and *Adams* courts focused on whether *AFTE Journal* publications were
10 sufficient to weigh in favor of admissibility. *See Tibbs*, 2019 WL 4359486 at *10 (“Ultimately, the
11 Court has seen only two meaningfully peer reviewed journal articles regarding the foundational
12 validity of the field, as the vast majority of the studies are published in a journal that uses a flawed
13 and suspect review process.”); *Adams*, 444 F. Supp. 3d at 1265-66 (rejecting reliance on the *AFTE*
14 *Journal* because “the purpose of publication in the *AFTE Journal* is not to review the methodology
15 for flaws but to review studies for their adherence to the methodology.”).

16 However, even if the Court were to fully discount the studies published in the *AFTE*
17 *Journal*, these are not the only examples of peer review research published in this field. For
18 example, Defendant’s own expert acknowledges that the *Journal of Forensic Sciences* has
19 published at least three error rate studies of firearm examiners. ECF No. 941-3 (“Scurich Decl.”)
20 ¶¶ 14, 19. Moreover, the two government reports on which Defendants repeatedly rely, the 2009
21 NAS Report and the 2016 PCAST Report, “themselves constitute peer review despite the
22 unfavorable view the two reports have of the AFTE method.” *Romero-Lobato*, 379 F. Supp. 3d at
23 1119. In addition, the government’s expert provides a non-exhaustive list of over fifty peer-
24 reviewed research published outside of the *AFTE Journal*. ECF No. 951-2 (“Weller Decl.”)
25 App’x A. These additional studies alone “would fulfill the required publication and peer review
26 requirement.” *Harris*, 502 F. Supp. 3d at 40. As such, Defendant’s reliance on *Tibbs* and *Adams*
27

1 is unpersuasive.

2 **3. The AFTE Methodology Error Rate Is Not Impermissibly High**

3 Under the third *Daubert* factor the Court considers “whether the technique has a known or
4 potential rate of error.” *Romero-Lobato*, 379 F. Supp. 3d at 1119 (citing *Daubert*, 509 U.S. 579).
5 Defendants and the government vigorously dispute the potential error rate based on the relevant
6 studies. Initially, the Court agrees with the government, Opp’n at 19, that the focal point of the
7 inquiry should be on the rate of false positives, “as this is the type of error that could lead to a
8 conviction premised on faulty evidence.” *Harris*, 502 F. Supp. 3d at 39. The government argues
9 the false positive rate is very low and relies on a sample of twelve studies where the false positive
10 rate ranged from 0% to around 1%, depending on the study design. Opp’n at 19-20. Defendants
11 in turn contest the validity of the studies and the error rate calculation. Mot. at 31-35. According
12 to Defendants, the defects in the study designs and error rate calculation undermine the validity of
13 the calculated error rate. *Id.*

14 District courts have generally concluded that “validation studies as a whole show a low
15 error rate for firearm and toolmark identification.” *Harris*, 502 F. Supp. 3d at 39 (collecting
16 cases). In so doing, some courts have concluded that the “error rate is difficult or impossible to
17 determine and, at any rate, is presently unknown,” but based on the available evidence “the error
18 rate is sufficiently low to weigh in favor of admissibility.” *Johnson*, 2019 WL 1130259, at *18
19 (collecting cases). However, several recent district court decisions have gone even further and
20 have questioned the underlying methodology and associated low error rate of these validation
21 studies. *See Tibbs*, 2019 WL 4359486 at *18 (finding “most of the studies on which the
22 government relies . . . cannot provide an accurate accounting of the error rate”); *Adams*, 444 F.
23 Supp. 3d at 1264-65 (concluding that “[i]t is possible that the error rate for toolmarking testing is
24 very low, but it is more likely that it is not.”); *United States v. Shipp*, 422 F. Supp. 3d 762, 777-79
25 (E.D.N.Y. 2019) (finding the potential error rate “does not favor a finding of reliability at this
26 time”). Both the *Adams* and *Shipp* courts found that the test that most closely resembled real
27

1 world analysis could have an error rate as high as 2.2%. 444 F. Supp. 3d at 1265; *Shipp*, 422 F.
2 Supp. 3d at 778. Both courts determined an error rate of 1 in every 46 comparisons was too high
3 to favor a finding of reliability. 444 F. Supp. 3d at 1265; *Shipp*, 422 F. Supp. 3d at 778; *but see*
4 *Johnson*, 2019 WL 1130258 (concluding that a 2.2% error rate is not impermissibly high).

5 The Court finds this factor weighs slightly in favor of admissibility for two reasons. First,
6 the weight of authority suggests the potential error rate is between 0-1%. *Harris*, 502 F. Supp. 3d
7 at 39 (collecting cases); *Johnson*, 2019 WL 1130259, at *18 (same). Second, even if the error rate
8 is as large as 2.2%, the Court disagrees with the conclusion by the *Adams* and *Shipp* courts that
9 such an error rate is impermissibly high. The 2016 PCAST Report, on which Defendant primarily
10 relies to critique the majority of the validity studies, posits that an acceptable error rate from a
11 scientific perspective is 5%. Opp'n at 21. Thus a 2.2% error rate would still be significantly
12 lower than the recommended threshold by scientific experts. *See Johnson*, 2019 WL 1130258
13 (concluding that a 2.2% error rate is not impermissibly high).

14 Second, and more importantly, according to the government, accredited labs, like in the
15 instant case, use “a second examiner who independently examines the results of the first
16 examiner.” Opp'n at 20. The government also notes that there's a third layer of review as well—
17 the defense firearms expert, who can also challenge the testimony of the prosecution firearms
18 expert. *Id.* Defendant fails to contest these points on reply, and thus implicitly concedes the
19 likelihood that additional layers of review would drastically reduce the ultimate false positive rate
20 at trial.

21 Thus, the underlying concern expressed in *Adams* and *Shipp*, the potential for a false
22 conviction based on a false positive, appears to be much lower with the inclusion of another
23 independent examiner, and even lower when there is a defense firearm expert. With just another
24 independent examiner, the cumulative probability of a false positive rate could be as low as
25 0.05%.² Including a defense firearm expert that conducts an independent analysis would make the

26
27 ² Assuming each examiner's false positive rate is an independent variable, the probability of a

1 risk potentially negligible. Accordingly, the potential error rate, even when using the highest
 2 measured false positive rate, is likely still within the range supporting a finding of reliability. *See*
 3 *Harris*, 502 F. Supp. 3d at 39.

4 **4. The AFTE Methodology Does Not Have An Objective Standard**

5 Under the fourth *Daubert* factor, the Court considers whether the fields of firearm
 6 examination has a set of standards. “[T]his is the *Daubert* factor on which firearm toolmark
 7 analysis scores the lowest.” *Shipp*, 422 F. Supp. 3d at 779. The government contends that
 8 published manuals such as the AFTE Training Manual, the AFTE Technical Procedures Manual,
 9 and the AFTE Theory of Identification support a finding that there are a set of objective standards.
 10 Opp’n at 21. The AFTE Theory of Identification, “the primary standard that governs the
 11 discipline,” explains that “examiners can conclude that a firearm and cartridges have a common
 12 origin when a comparison of toolmarks shows there is ‘sufficient agreement.’” *Harris*, 502 F.
 13 Supp. 3d at 41; *see also Johnson*, 2019 WL 1130258 at *17 (the AFTE standard for toolmark
 14 identification is “sufficient agreement.”).

15 However, “both courts and the scientific community have voiced serious concerns about
 16 the ‘sufficient agreement’ standard, characterizing it as ‘tautological,’ ‘wholly subjective,’
 17 ‘circular,’ ‘leav[ing] much to be desired,’ and ‘not scientific.’” *Johnson*, 2019 WL 1130258 at
 18 *17. As another court has explained, under the sufficient agreement standard “matching two tool
 19 marks essentially comes down to the examiner’s subjective judgment based on his training,
 20 experience, and knowledge of firearms.” *Romero-Lobato*, 379 F. Supp. 3d at 1121; *see also*
 21 *Harris*, 502 F. Supp. 3d at 41 (same). The government’s opposition does not directly address any
 22 of Defendants’ arguments, or the relevant case law, about the subjectivity of the sufficient
 23 agreement standard. Rather, the government notes that the subjective aspect of the methodology
 24

25 false positive with two examiners would be about 0.05%: initial examiner (2.2%) x second lab
 26 examiner (2.2%). With three examiners the potential false positive rate would be orders of
 27 magnitude lower. However, the Court notes the record is not entirely clear to what extent the
 second lab examiner would be conducting an independent analysis, nor is there any evidence that
 in every instance a defendant rebuts such testimony with their own firearm expert.

1 “is not fatal to admissibility.” Opp’n at 22.

2 The Court thus concludes this factor weighs against a finding of reliability, but agrees with
3 the government that such a conclusion is not fatal to admissibility. *See Harris*, 502 F. Supp. 3d at
4 42 (concluding the factor weighs against admissibility but is not “an immediate bar to
5 admissibility” because even “a partially subjective methodology is not inherently unreliable”).

6 **5. There is Sufficiently General Acceptance in the Relevant Community**

7 Under the fifth *Daubert* factor, the Court considers whether firearm examination enjoys
8 general acceptance in the scientific community. Courts have generally concluded that “[t]here is
9 no dispute here that toolmark identification analysis is a generally accepted method in the
10 community of forensic scientists, and firearms examiners in particular.” *Johnson*, 2019 WL
11 1130258, at *19. Moreover, “[e]ven courts that have been critical of the validity of the discipline
12 have conceded that it does enjoy general acceptance as a reliable methodology in the relevant
13 scientific community of examiners.” *Harris*, 502 F. Supp. 3d at 40. In addition to the 209
14 accredited labs in the United States, the government points to accredited labs throughout the world
15 practicing firearm identification, such as “England (Scotland Yard), New Zealand, Canada, South
16 Africa, Australia, Germany, Sweden, Greece, Turkey, China, Mexico, Singapore, Malaysia,
17 Belgium, Netherlands, and Denmark.” Opp’n at 23.

18 Here again, defendant relies on a small minority of court cases which have found that
19 firearm examination does not enjoy “general acceptance” in the scientific community because
20 several scientists *outside* the firearms expert community have been critical of the methodology.
21 *Mot* at 44; *see also Tibbs*, 2019 WL 4359486 at *21; *Adams*, 444 F. Supp. 3d at 1266; *Shipp*, 422
22 F. Supp. 3d at 783; *People v. Ross*, 68 Misc. 3d 899, 913 (N.Y. Sup. Ct. 2020). In each of these
23 cases, the court expanded the definition of relevant scientific community beyond the firearm
24 expert community to include at minimum the members of the 2009 NRC and 2016 PCAST
25 reports, who were “admittedly not members of the forensic ballistic community” but were
26 “preeminent scientists and scholars” who were “undoubtedly capable of assessing the validity of a
27

1 metrological method.” *Shipp*, 422 F. Supp. 3d at 782-83.

2 Setting aside whether this is a correct definition of the relevant scientific community under
3 *Daubert*, the Court respectfully disagrees with the minority view. In *Daubert* the United States
4 Supreme Court explained that this “general acceptance” factor can include an “express
5 determination of a particular degree of acceptance within that community.” 509 U.S. at 594.
6 Thus, “[w]idespread acceptance can be an important factor in ruling particular evidence
7 admissible, while “a known technique which has been able to attract *only minimal support* within
8 the community, may be properly viewed with skepticism.” *Id.* (emphasis added).

9 Here, there is no question on the record that even including the non-firearm experts from
10 the NRC and PCAST reports, as well as defense experts, there is still an overwhelming acceptance
11 in the United States and worldwide of firearm identification methodology. More importantly,
12 even accepting defendant’s implicit premise that more weight should be given to neutral scientists
13 and independent scientific organizations, defendant cannot show that the technique in question has
14 “only minimal support” to warrant skepticism. *See id;* *see also Romero-Lobato*, 379 F. Supp. 3d
15 at 1122 (“[T]echniques do not need to have universal acceptance before they are allowed to be
16 presented before a court.”).

17 Accordingly, the Court finds this factor weighs in favor of admissibility.


18 **CONCLUSION**

19 To sum up, four of the five *Daubert* factors weigh in favor of reliability. Balancing these
20 factors the Court concludes that AFTE methodology is generally relevant and reliable. Moreover,
21 given the government’s voluntary limitations on the expert testimony, Opp’n at 24, the Court
22 concludes no additional limiting instructions are necessary because the government’s
23 representations adequately address any potential concerns with error rates or the subjective nature
24 of the AFTE methodology. Defendants may cross-examine the governments’ experts and present
25 their own ballistic experts. Under Ninth Circuit law, these safeguards are sufficient and no
26 additional limitations are necessary. *See Johnson*, 875 F.3d at 1281.

1 For all these reasons, the Court DENIES Defendants' *Daubert* motion to limit the
2 presentation of ballistics comparison evidence by the government.

3 **IT IS SO ORDERED.**

4 Dated: December 13, 2021



5
6 LUCY H. KOH
United States District Judge

7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
United States District Court
Northern District of California